Senoh

Gymnastics Product Guide

The One - It's Original Concept and Your Only One



INDEX

2	Introduction
3	FIG Approved Floor
4	FIG Approved Pommel Horse
5	FIG Approved Rings
6	FIG Approved Vault
7	FIG Approved Parallel Bars
8	FIG Approved Horizontal Bar
9	FIG Approved Uneven Bars
10	FIG Approved Balance Beam
11-14	FIG Approved Landing Mat
15	Apparatus for Competition
16	Miscellaneous Items for Competition
17-21	Equipment for Training/Practice
22	Floor Apparatus & Transporter
23-24	Educational Model
25	Apparatus List for Competition
26	Rhythmic Gymnastics
27	Trampoline

The Best Quality for Your Best Performance

Senoh's Gymnastics Expertise is cultivated from its history since 1948 and we are one of the long standing company approved by FIG.

From top competitions to school education, the products lineup with the highest standards can fulfill a wide range of requirements. Senoh is proud of providing customers with the best quality that is absolutely safe and has a long life.

1948



1979 FIG ART World Cup Series



2011



2011 FIG ART World Cup Series

AH043062 Official Spring Floor

FIG approved
Carpet face with Nylon tuft overlay, dividable into 3 and flatly interlocked by Velcro TH14mm, L14.6 x W4.0m x 1pc , L14.6 x W5.3m x 2pcs
Middle cushion of EVA foam made, with high durability TH40mm, L2.032 x W1.111m x 91pcs (Interlock type)
Under cushion of low density foal made, with high durability, flexibility, and soft touch TH20mm, L2.032 x W1.111m x 91pcs (Interlock type)
Intensified elastic spring panel TH128mm L2.4 x W1.2m x 50pcs, L2.4 x W1.0m x 18pcs, L2.2 x W1.0m x 4pcs

Senoh's Technology



Elastic panel joint

Easy to joint each panel by simply insert the panel into joint fitting and drop the joint pin to make the temporary positioning.

Fasten Mechanism

When panel positioning is set, tighten the fasten metal. Whole exercise area will be firmed with no play between panels.





AF020M41
Pommel for Spare



AF021262 Official Pommel Horse

FIG approved
covered with cowhide leather body
Detachable pommel of hygroscopic plastic made
Tension wire and turnbuckle lock
Not including leg padding
Height adjustable diagonal leg stand H1100-1400mm (Increments of 50mm)
Body L1600 x W350mm
128kg / unit

(Spare Parts)

AF020M41 : spare pommel (sold in pair)

Senoh's Technology



- Pommel is made in one molding
- Body provides the moderate elasticity by composition of wooden frame covered with sponge material and cowhide leather over-rolled.
- The height is adjusted in 50mm pitch with pin lock tighten by knob lock to prevent from any play.
- Attachments of anchor hook by chain with tension wire and turnbuckle lock provides even more stability of body.

AB032062 Official Ring Frame with Hook

- FIG approved
- Φ76.3mm special steel tube frame constructions
- telescopic height adjustable 5650-5900mm (Increments of 50mm)
- equipped with one pair of official rings
- complete with rotating apparatus
- ϕ6mm vinyl covered tension wire ropes, tester & turnbuckle locks
- Ring: 28mm laminated wood, plastic resin injected (internal Φ185mm)
- with 35mm width reinforced strap belt
- Distance between two rotating apparatus: 500mm
- 98kg / unit

(Spare Parts)

- AB030M20 : spare ring + belt + wire (sold in pair)
- AB030M55 : tension wire (sold in pair)

AB030M20
Ring + Belt + Wire for Spare

Senoh's Technology



■Elastic beam and buffering rubber reduce the impact on player.

■ Elasticity can be fine adjusted by leveling bolt.



NEW

AE0500　Official Vaulting Table
FIG approved
Fitted with special padding and uniformed cushion of elastic elements
covered with synthetic leather body
with tension wire and turnbuckle lock
Height Adjustment: H1100-1400mm (Increments of 50mm)
Body: L1200 x W950mm
119kg / unit

AE041062　Official Vaulting Table
FIG approved
Fitted with special padding and uniformed cushion of elastic elements
covered with synthetic leather body
with tension wire and turnbuckle lock
Height Adjustment: H1100-1400mm (Increments of 50mm)
Body: L1200 x W950mm
108kg / unit



IDEAL ELASTICITY

New structure design and moderate cushioned table covered by synthetic leather provides ideal elasticity and impact reduction.

※AE0500

EASY OPERATION

The height is easily adjusted in 50mm pitch by knob lock to prevent from any play.

EXCELLENT STABILITY

Attachments of anchor hook with turnbuckle lock inside provides more stability of body.

NEW

AC0200 Official Parallel Bars
FIG approved
Heavy duty steel base construction
with double handle lock system
Height adjustable 1600-2000mm
Wooden laminated FRP bar
283kg / unit
(Spare Parts)
AC010M63 : spare bars (sold in pair)
AC015002 : base adaptor (set of 4) required if floor apparatus is not used



IDEAL GRIP

FRP made bar with laminated wood cover to increase strength, elasticity,and absorbency,and also helps to prevent slipping from the bar.

EASY OPERATION

Double lock sysytem with pin and handle enables easy and secure height adjustment.



AC015002 Base Adaptor

EXCELLENT STABILITY

New structure design provides more stability.



AA052062 Official Horizontal Bar
FIG approved
Height adjustable 2600-2900mm (Increments of 50mm)
Bar with wire cord, ϕ28mm Nickel chrome-molybdenum steel of L2400mm between pivots, X-ray inspected
End bar of free bounce universal pivot
Inner tube of Special steel, chromium plated
51kg / unit

(Spare Parts)
AA050M46 : spare tension wire (sold in pair)
AA050M55 : spare bar

AA050M55 Spare Bar



Senoh's Technology



- Special made bar just for Horizontal bar only.
- Bar is wired corded and made by Chrome-nickel molybdenum steel.
- Adapts a free motion pivot to disperse the bar's bouncing in 360 degree.

NEW

AD0200 Official Uneven Bars
FIG approved
Heavy duty steel construction, complete with tension wire ropes
width adjuster, tension adjuster and turnbuckle lock
Height adjustable 2350-2600mm at upper bar , 1550-1800mm at lower bar
Wooden laminated FRP bar in L2400mm between free bounce universal pivots
163kg / unit

AD012262 Official Uneven Bars
FIG approved
Heavy duty steel construction, complete with tension wire ropes
width adjuster, tension adjuster and turnbuckle lock
Height adjustable 2350-2600mm at upper bar , 1550-1800mm at lower bar
Wooden laminated FRP bar in L2400mm between free bounce universal pivots
125kg / unit



IDEAL GRIP

FRP made bar with laminated wood cover to increase strength,elasticity,and absorbency,and also helps to prevent slipping from the bar.

PERFECT REACTION

Adapts a free motion pivot to disperse the bar ' s bouncing in 360 degree.



※AD0200

EASY OPERATION

The height is easily adjusted just by loosening tension cables and width adjusters.

EXCELLENT STABILITY

New structure design provides more stability.

NEW TENSION GAUGE

New device has wider measuring range (up to 5000N)

(Spare Parts)
AD010P44 : Spare Bar
AD010P25 : Spare Tension Wire (sold in pair)
AD010P43 : Width Adjuster (sold in pair)
AD2000 : Width Measurer

AD010P44 Spare Bar

AD010P43 Width Adjuster

AD2000 Width Measurer

AG013162 Official Balance Beam

FIG approved

Not including leg padding

Height adjustable 700-1250mm (Increments of 50mm)

Beam L5000 x 100mm fitted with uniformed cushions in three layers under the synthetic leather cover and above the aluminum beam base with protection end cap

112kg / unit

(Spare Parts)

AG010M90 : spare beam





Senoh's Technology



- 3 layers buffering mechanism.
  2 different densities of cushions with a middle plate in between creates the comfortable buffering effect while maintaining the moderate hardness on surface.
- Middle plate is in one unit without any joint, provides the homogeneity in cushion at any place on beam.
- Aluminum beam is covered by a high quality synthetic leather with the end caps attached on both the end of beam.

AM5XXX Official Landing Mat

FIG approved

Meets all requirements of mats in terms of its Shock absorbency, flexibility, landing stability, safety, and durability

Unique multiplex structure composed with EVA forms and multi-density urethane forms in high quality

Covered by non-slip material with the top of mats having all in one sheet with no joints

Having more in detachment strength, tear strength, pulling strength, wear resistance, and the cold-resistant performance

Joints of over mats and under mats are not overlapped for high safety

Senoh's Technology

■ What 's good about EVA ?

Eco Friendly	Because EVA does not contain such chlorine as polyethylene does, EVA does not expose dioxin from burning it up.
High Elasticity	EVA is superior even in a low temperature. It is not tense at the cold temperature, and still maintains superior in elasticity.
Light weight	Specific gravity is small and is very light weight in comparison with vinyl chloride and the rubber.
Long durability	EVA is superior in the durability, and hard to deteriorate even in continue taking wind, rain, and ultraviolet rays.

■ Multiplex structure of Landing Mat "EV"

aTotal of 200mm with 6 layers

FORM	Density	Thickness
EVA	Moderate	20mm
Urethane	High	30mm
EVA	High	10mm
Urethane	Moderate	50mm
Urethane	Low	50mm
Urethane	Moderate	40mm

AM5060 Official Landing Mat for Horizontal Bars

7 over mat & 7 under mats





AM5160 Official Landing Mat for Rings

1 over mat & 3 under mats





AM5260 Official Landing Mat for Vault

4 over mat & 6 under mats





AM5370 Official Landing Mat for Pommel Horse

2 over mats & 4 under mats





AM5480 Official Landing Mat for Parallel Bars

5 over mat & 12 under mats





AM5560 Official Landing Mat for Uneven Bars

5 over mat & 5 under mats





AM5660 Official Landing Mat for Balance Beam

9 over mat & 13 under mats





AM7XXXXX Official Landing Mat“ EV ”

- FIG approved
- Unique multiplex structure composed with EVA forms and multi-density urethane forms in high quality
- Meets all requirements of mats in terms of its Shock absorbency, flexibility, landing stability, safety, and durability
- Covered by non-slip material with the top of mats having all in one sheet with no joints
- Having more in detachment strength, tear strength, pulling strength, wear resistance, and the cold-resistant performance

AM7010 Official Landing Mat“ EV ”for Horizontal Bar



- 3000 x 2000 x TH200mm, 5pcs
- 3000 x 1000 x TH200mm, 2pc

AM7110 Official Landing Mat“ EV ”for Rings



- 2000 x 3000 x TH200mm, 1pc
- 2000 x 1000 x TH200mm, 2pcs

AM7310 Official Landing Mat“ EV ”for Pommel Horse



- 4000 x 2000 x TH100mm (3 fold type)

AM7410 Official Landing Mat“ EV ” for Parallel Bars

2000 x 3000 x TH200mm, 2pcs
2000 x 2000 x TH200mm, 2pcs
2000 x 1000 x TH200mm, 5pcs
700 x 2550 x TH200mm, 1pc
700 x 1225 x TH200mm, 2pcs



AM7510 Official Landing Mat“ EV ”for Uneven Bars

3000 x 2000 x TH200mm, 4pcs
2000 x 2000 x TH200mm, 1pc



AM7610 Official Landing Mat“ EV ”for Balance Beam

2000 x 5000 x TH200mm (2 fold type)
2000 x 3000 x TH200mm, 3pcs
2000 x 2000 x TH200mm, 1pc
1000 x 2000 x TH200mm, 1pc
1000 x 1000 x TH200mm, 4pcs



AM7210 Official Landing Mat“ EV ”for Vault

2500 x 2000 x TH200mm, 3pcs
1000 x 700 x TH200mm, 1pc
1000 x 500 x TH200mm, 1pc



AJ0700H Official Vaulting Board “Hard”
FIG approved
H220 x L1200 x W600mm, 24kg
With 8 springs positions 3-3-2
Dot of dia. 8cm can be marked as per request

AJ0700S Official Vaulting Board “Soft”
FIG approved
H220 x L1200 x W600mm, 24kg
With 5 or 6 springs positions 2-1-2 or 3-1-2



AT911582 Safety Collar
For vaulting board protection
W1015 x L1200 x T210mm, 6kg



AK012062 Runway
W1000mm x L27.4m x TH18mm
16.5kg
Cushion below carpet face
Attached with Velcro tape



AM0700 Mat for Hands
For vaulting board
W1000 x L1200 x T28mm, 2.2kg



AM060762 Supplementary Mat
Additional landing mat for vaulting
W2000 x L6000 x T100mm, 55kg

AM060XXX Supplementary Mat
Additional landing mat for vaulting
AM060062 : W2 x L2m x TH100mm, 18kg
AM060162 : W2 x L2m x TH50mm, 12kg
AM060262 : W2 x L4m x TH100mm, 36kg

AS4210 Electric Scoreboard
Rotating double face display
Body: H1900 x L890 x W580mm
Display: H570 x L890 x W170mm
Letter height: 120mm, 220mm
LED 7 segment system
Inlaid operation panel with auto-off function
Chargeable battery or AC100V
Voltage adjusted as per request
85kg / unit

AS056062 Manual Scoreboard
Flap type
H2075 x W960mm
10kg / unit

AS0600 D. E. Scoreboard
Indicates D and E scores with deduction points
Flap type
H1700 x W780cm
8kg / unit

AS4000 Timer with Buzzer
For Floor Exercise
H110x D200 x W300mm
3kg / unit
Power code 20m x 1
AC 100V 15W
Voltage adjusted as per request

AS4001 Timer with Buzzer
For Balance Beam
H110x D200 x W300mm
3kg / unit
Power code 20m x 1
AC 100V 15W
Voltage adjusted as per request

AS1030 Judges Scoreboard
Book type
H205 x L260mm
1kg / unit



AS155062 Vaulting Indicator
For vaulting men & women
Flap type
H1500 x W60mm

AT152262 Magnesia Stand
Bowl ϕ440mm
With Caster
Caster base ϕ650mm
9.0kg / unit

AT9811 Magnesia
Powder type
25kg per a bag

AH4XX062 Tambling Floor
W2400mm x L18m
Nylon twist carpet 1pc, Middle cushion 17pcs Under cushion 17pcs, Elastic panel 15pcs
AH430062: spring type
AH411062: sponge type

AF2111 Training Round Horse
Φ650 x H800mm, 40kg
For Junior use
AF210M05 Head with Pommel
Φ650mm, 7kg (without stand)

AF2011 Training Round Horse
Φ970 x H800mm, 48kg
Detachable leg

AF2103 Training Round Horse
Φ500 x H50mm, set of 3pcs
Height adjustable (50, 100, 150mm)
1.6kg / set

AE1300 Training Vaulting Table
Fitted with special padding and uniformed cushion of elastic
Height adjustable 1250 or 1350mm
L1200 x W950, 98kg
Detachable leg

AJ9051 Poline Board
Spring board for vault practice
Frame: W1160 x L1500 x H380mm Bed: W600 x L900mm
Front height changeable (380, 410, 440mm)
With caster



AK9010 Runway for Training
Elastic foam made
W1000 x T20mm x L25m, 75kg



AG000001 Beam Base

Wooden fitted type

AG000002 Beam Base

Laminated wooden elastic type

AG9350 Shock Absorption Mat

EVA foam covered with synthetic leather

W980 x L980 x TH12mm, 2.3kg

Multipurpose for balance beam, vault, parallel bars, and landing for hands

AG9100 Protection Beam Pad

EVA foam cored polyurethane covered with polyester

W110 x L1600 x TH20mm, 2.4kg

AT910782 Low Platform Beam Set

EVA foam cored polyethylene covered with tarpaulin

W500 x L4800 x TH100mm, 22kg

AG3100 Flat Training Beam

W100 x L5000 x TH17mm

Two foldable L2500m



AG920082 Training Beam Mat

Three layered polyethylene covered with taupaulin

Sewed with W100 x L5000 mm beam top at the cente

W500 x L5400 x TH30mm, 10kg

AT9105 Platform for Balance Beam

EVA foam cored polyethylene covered with taupaulin

W600 x L1500 x H1040mm, 24kg /pc

Sold in pair

AT9106 Spotting Block

For balance beam (multi use)

Styrene foam with EVA and EVA urethane, covered with tarpaulin

W1230 x L1830 x H550mm, 32kg

AD910XXX　Bar Pads for Parallel & Uneven Bars	
AD910582 : L300mm	AD910882 : L1000mm
AD910682 : L500mm	AD910982 : L1200mm
AD910782 : L600mm	

AT1012　Hand Standing Bars
Grip Φ36mm
W430 x H410 / 320mm　(2 types of height)
7.2kg/pc
Sold in pair



AT1020　Hand Standing Bars
Grip Φ36mm
W150 x L250 x H120mm
1.2kg/pc
Sold in pair

AB2103　Training Rings
Horizontal bar suspension device
Ring H450mm at H2800mm of horizontal bar
W500mm,　3.5kg /set
For hand stand and leveling position practice
Sold in pair

AN905X82　Soft Mat 200
Core: high density urethane Cover: polyester double knit
AN905082: W2 x L3m x TH200mm, 33kg
AN905182: W1.5 x L2m x TH200mm, 16.5kg

AN905282　Soft Mat 300
Shock absorption foam covered with polyester double knit
W2 x L3m x TH300mm, 46kg

AM930X82　Soft Mat 90
Tarpaulin cover
AM930082: W1.5 x L2m x TH90mm, 11.5kg
AM930182: W2 x L3m x TH90mm, 23kg

AM920282　Landing Mat
3 fold type
Tarpaulin cover
W2 x L4m x TH100mm, 45.6kg

AT9100　Spotting Block
Styrene foam with EVA, covered with tarpaulin
W600 x L1100 x H800mm, 12.5kg

AT3200　Spotting Block
Styrene foam with urethane , covered with vinyl leather
W700 x L1000 x H600mm, 12kg

AZ0400 Training Pit NGC System
Landing pit is composed with 3 layers of 1) high shock absorption urethane foam blocks 2) suspended web bed 3) high density urethane foam cored mat

CA4004 Pit Trampoline
Canvas bed: W3650 x L1800mm, mesh type
Suspension: rubber cables
Frame size: W4520 x L3000

AN901082 Mat for Pit
12 layered foam
W2 x L3m x TH120mm, 50kg
Also usable as landing mat

AN901082 Mat for Pit
Double knit cover
W2 x L3m x TH600mm, 71kg



KA1541 ／KA1641

KA5231

KD0241

KXXXX Floor Apparatus
Aluminum alloy made
KA1541: for horizontal bar, rings, uneven bars
KA1641: for vault and pommel horse
KA5231: for parallel bars
KD0241: for low horizontal bar

AP011062 Transporter for Parallel Bars
10kg

AP022162 Transporter for Beam / Pommel Horse / Vault
sold in pair

AH040006 Transporter for Floor Panels
W1625 x L2500 x H1646mm, 127kg
Spring panels: 5 carts Sponge panels: 4 carts Rhythmic panels: 2 carts

AP032062 Apparatus Storage Truck
Horizontal, Rings, Uneven are storable in 1 truck
With hook cap
W1050 x L1000 x H1310mm, 47kg
Color: blue

AP1020 Cart
W934 x L1500 x H850mm, 75kg
AP1120 Cart
W1240 x L2050 x H850mm, 150kg

AH040005 Multi Transporter
W500 x L900 x H160mm
Sold in pair, 11kg /pc

Educational Model

AL103X Vaulting Box
8 stepped boxes with elastic padding covered with canvas
AL1030: W1060 x L1200 x H1350mm, 70kg
AL1031: W900 x L1000 x H1200mm, 60kg
AL1032: W800 x L800 x H1000mm, 44kg
AL90000X Rubber Mat for Vaulting Box
Natural rubber made
AL900003: W1100 x L1300 x TH3mm, 6.4kg
AL900004: W1100 x L4000 x TH3mm, 21kg

AT9600 Fitted Mat for Vaulting Box
Double layer polyurethane cored, covered by vinyl canvas
W2000 x L2000 x TH100mm, 30kg

AJ0512 Double Flex Springboard
W600 x L1200 x H234mm, 23kg
Special elastic curved plywood, covered with non-slip turf carpet overlay

AJ2330 Double Flex Springboard
W600 x L1200 x H175mm, 21kg
For junior high school education

AJ9020 Educational Springboard
W550 x L1000 x H200mm, 16.5kg
For elementary school education

AJ9010 Educational Springboard
W600 x L650 x H130mm, 8kg
For kids use

AA200SXX Low Horizontal Bar
Upright: Φ60.5mm, 10kg
Bar: Φ28mm (cold finished steel), 11.5kg
W2000 x H1000-1500mm
Under floor 250mm

AN013X Soft Mat
Urethane foam cored, covered with tetrone canvas
With air vents and handles at side
AN0130 : 2 x 3m, TH200mm, 34kg
AN0131 : 2 x 3m, TH300mm, 45kg
AN0132 : 2 x 3m, TH400mm, 54kg

AM22XX Senoh Mat White
Molded synthetic sponge mat
AM2200: W1.2 x L3m x TH60mm, 21.6kg
AM2201: W1.2 x L6m x TH60mm, 43.2kg
AM2202: W1.5 x L3m x TH60mm, 27kg
AM2203: W1.5 x L6m x TH60mm, 54kg

AM12XX Senoh Mat Green
Molded synthetic sponge mat
AM1200: W1.2 x L3m x TH60mm, 19.2kg
AM1201: W1.2 x L6m x TH60mm, 38.4kg
AM1202: W1.5 x L3m x TH60mm, 24kg
AM1203: W1.5 x L6m x TH60mm, 48kg

AM91XX Landing Mat
Polyester canvas cover, reversible
EVA foam and high density urethane
AM9100: W2 X L3m x TH70mm, 22kg
AM9101: W1.5 X L2m x TH70mm, 11kg

Apparatus List for Competition



Item Code	Item	Page	QTY
AH043062	Floor	P.3	2
AF021262	Pommel Horse	P.4	1
AM5370/AM730062	Landing Mat for Pommel Horse	P.12/14	1
AB0320	Rings	P.5	1
AM5160/AM710062	Landing Mat for Rings	P.11/13	1
AE041062	Vault	P.6	2
AM5260/AM720062	Landing Mat for Vault	P.11/14	2
AM060762	Supplementary Mat for Vault	P.15	2
AJ0700	Vaulting Board	P.15	4
AK012062	Runway for Vault	P.15	2
AT911582	Rondat Mat	P.15	2
AM0700	Mat for Hands	P.15	2
AC016062	Parallel Bars	P.7	1
AM5480/AM740062	Landing Mat for Parallel Bars	P.12/14	1
AJ0700	Vaulting Board	P.15	1
AA0520	Horizontal Bar	P.8	1
AM5060/AM700062	Landing Mat for Horizontal Bar	P.11/13	1
AM060262	Supplementary Mat	P.16	1
AD012262	Uneven Bars	P.9	1
AM5560/AM750062	Landing Mat for Uneven Bar	P.12/14	1
AM060262	Supplementary Mat	P.15	1
AJ0700	Vaulting Board	P.15	1
AG013162	Balance Beam	P.10	1
AM5660/AM730062	Landing Mat for Balance Beam	P.12/14	1
AM060262	Supplementary Mat	P.15	1
AJ0700	Vaulting Board	P.15	1

	Item Code	Item		Page	QTY
	AS4210	Scoreboard	A	P.16	10
	AS056062	Scoreboard	A	P.16	10
	AS0600	Scoreboard	A	P.16	10
	AS155062	Vaulting Indicator	B	P.16	2
	AS4000	Timer with Buzzer for Floor	C	P.16	2
	AS4001	Timer with Buzzer for Balance Beam	C	P.16	1
	AT152262	Magnesia Stand		P.16	10

		Height from floor
men	Pommel Horse	1150mm
	Rings	2800mm
	Vault	1350mm
	Parallel Bars	2000mm
	Horizontal Bar	2800mm
women	Uneven Bars	1700mm, 2500mm
	Balance Beam	1250mm
	Vault	1250mm





AH0650 Official Rhythmic Gymnastics Floor
FIG approved
Carpet face with nylon tuft overlay 4000 x 14500 x TH8mm, 2pcs 3250 x 14500 x TH8mm, 2pcs
EVA foam under cushion 2000 x 14000 x TH5mm, 7 rolls
Intensified elastic sponge panel 2334 x 1167 x TH42mm, 72pcs

AH9511 Rhythmic Gymnastics Training Floor
W3 x L13m x TH18mm, 105kg
Tuft carpet: W3 x L13m x TH8mm, 1pc
Under cushion W1 x L13m x TH10mm, 1pc W2 x L13m x TH10mm, 1pc

AH9521 Rhythmic Gymnastics Training Floor
W1.5 x L13m x TH18mm, 53kg
Turf carpet: W1.5 x L13m x TH8mm, 1pc
Under cushion: W1.5 x L13m x TH10mm, 1pc

Trampoline



CA2011 Regulation Trampoline
Mesh bed: 3650 x 1800mm
Suspension: rubber cables 100pcs
Frame size: W2760 x L4640 x H1000mm
Folding size: W810 x L2970 x H1985mm
184kg

CA2111 Regulation Trampoline
CA2011 with supplemental frame
Frame size: W3010 x L4640 x H1000mm
216kg

CA6011 Little Giant Trampoline
For educational use
Mesh bed: 2900 x 1470mm
Suspension: rubber cables 78pcs
Frame size: W2190 x L3640 x H860mm
Folding size: W810 x L2400 x H1690mm
125kg

CB1000 Sportsman Trampoline
Use for small children
Canvas bed: 1700x 1125mm
Suspension: rubber cables
Frame size: W1700 x L2140 x H600mm
With cart
54kg

CR0100 Soft Trampoline
Use for small children and the challenged persons
Mesh bed: 2900 x 1470mm
Suspension: rubber cables 78pcs
Frame size: W2220x L3660 x H600mm
Folding size: W1020 x L2500 x H1320mm
124kg
User's weight limit: 120kg

AT0630 Mini Trampoline
Canvas bed: 650 x 710mm
Suspension: rubber cables
Frame size: W1140 x L1140
Angle adjust 3" or 10"
25kg

CE1110 Spotter Mat
2 layer urethane padding covered with tetoron canvas
W1000 x L1700 x H120mm

SENOH Corporation
250 Matsuhidai, Matsudo-shi, Chiba 270-2214, Japan
TEL : 81-47-386-5807 Email : intl-1@senoh.co.jp
http://www.senoh.jp