



Basketball Product Guide

The One - It's Original Concept and Your Only One



2	Introduction
3-4	Backstop Lineup
5-7	FIBA Approved Backstop
8-12	Other Backstop
13-14	Backboard / Ring
15	Luminous Frame / Shot Clock
16	Scoreboard
17	Foul Indicator
18	Miscellaneous Goods
19	Electric System Connection


The Best Quality for Your Best Performance

Senoh's Basketball Expertise is cultivated from its history since 1955

Senoh's basketball equipment is all made in Japan.

Various sized backstops with the highest standards are available and the products lineup can fulfill a wide range of requirements for stadium, gymnasium, school, and park.

Senoh is proud of providing customers with the best quality that are absolutely safe and have a long life.





1955



Mexico Olympic Model







OO7 FIBA World Championship Model

1982





FIBA, the world governing body for basketball, is an independent association formed by 5 FIBA Zones and 212 National federations of basketball. Recognized as the competent authority in basketball by the International Olympic Committee (IOC).

Senoh has been the approved partner of FIBA for backboard support units since 1998.

Level


FIBA National Team and Club Competitions puls other elite level international club and national team competitions

Level 2

Any other competition not included in Level 1

DA096101 S-GOAL PRO






Electric Actuator Drive Syster

- FIBA approved (Level 1 & 2)
- W1900 x L6405 x H3950mm (body W1447mm)
- W1900 x L5300 x H1690mm (when folded)
- Court line to the wall: 5100mm

See P.5

DA067503 Orange Goal







Electric Actuator Drive Syste

- FIBA approved (Level 2)
- W1900 x L5260 x H3950mm (body W1087mm)
- W1900 x L4057 x H1870mm (when folded)
- Court line to the wall: 3850mm

See P.6

DA033103 Spring Goal






Counter-weight spring drive system

- FIBA approved (Level 2)
- W1900 x L5130 x H3950mm (body W1110mm)
- W1900 x L3835 x H1900mm (when folded)
- Court line to the wall: 4200mm

See P.7

DA071103 Parallel Goal 21






Electric Actuator Drive System

- W1900 x L4904 x H3950mm (body W1084mm)
- W1900 x L4005 x H1944mm (when folded)
- Court line to the wall: 3120mm

See P.8

DA086103 Parallel Goal






Electric Actuator Drive System

- W1900 x L4840 x H3950mm (body W1110mm)
- W1900 x L2912 x H2143mm (when folded)
- Court line to the wall: 3800mm

► See P.9

DD070100 Spring Goal S






Counter-weight spring drive system

- W1900 x L6420 x H3950mm (body 1447mm)
- W1900 x L3086 x H1903mm (when folded)
- Court line to the wall: 2500mm

▶ See P.10

DD054100 Outdoor Basket Goal





• W1800 x L6420 x H3950mm

▶ See P.10

DC09 Wall Mounted Goal (foldable type)



▶ See P.12

FIBA Approved (Level2)


▶ See P.12


DAXXXX Ceiling Suspended Goa



▶ See P.12











DA067503 Backstop "Orange Goal"

FIBA approved (Level 2)

Electric actuator drive system

Heavy duty steel frame construction

Clear plastic made backboard with safety pads on lower edge

Orange enameled pressure-release rings with nets


Body protecting cushion padding

Available in mini-basketball height

With caster

H3950 x L5260 x W1900mm (body W1087mm) H1870 x L4057 x W1900mm (when folded)

AC100V 550VA (voltage adjusted as per request)



DA060004 Setting Gauge for DA0665

W1140 x L950 x H45mm



DA033103

Backstop "Spring Goal"

FIBA approved (Level 2)

Counter-weight spring drive system, manual type

Heavy duty steel frame construction

Clear plastic made backboard with safety pads on lower edge

Orange enameled pressure-release rings with nets

Body protecting cushion padding

Available in mini-basketball height

With caster

H3950 x L5130 x W1900mm (body W1110mm) H1900 x L3835 x W1900mm (when folded)



DA030002 Setting Gauge for DA0331

W110 x L480 x H70mm



DA071103 Backstop "Parallel Goal 21"

Electric actuator drive system

Heavy duty steel frame construction

Clear plastic made backboard with safety pads on lower edge

Orange enameled pressure-release rings with nets

Body protecting cushion padding

Available in mini-basketball height

With caster

H3950 x L4904x W1900mm (body W1084mm) H1944 x L4005 x W1900mm (when folded)

AC100V 550VA (voltage adjusted as per request)



DA070001 Setting Gauge for DA0711

W110 x L480 x H70mm



DA086103

Backstop "Parallel Goal"

Electric actuator drive system

Heavy duty steel frame construction

Clear plastic made backboard with safety pads on lower edge

Orange enameled pressure-release rings with nets

Body protecting cushion padding

Available in mini-basketball height

With caster

H3950 x L4820 x W1900mm (body W1110mm) H2143 x L2912 x W1900mm (when folded)

AC100V 550VA (voltage adjusted as per request)



DA080001 Setting Gauge for DA0841

W110 x L480 x H70mm



DD070100

Backstop "Spring Goal S"

Counter-weight spring drive system, manual type

Heavy duty steel frame construction

Clear plastic made backboard with safety pads on lower edge with ring and net

Body protecting cushion padding

With caster

 $\rm H3950\,x\,L4294\,x\,W1900mm$ (body W1060mm) $\rm H1903\,x\,L3086\,x\,W1900mm$ (when folded)

Court line to the wall: 2500mm



DD054100

Backstop "Outdoor Goal"

For outdoor

Pickets setting up

FRP backboard with ring and net

Single post with padding

H3950 x L4120 x W1800mm

CLS FEIGOAL

Custom made Backstop unit

Various color and desigh with wide range of possibilities.



















DC09 Wall Mounted Goal

FIBA approved (Level 2)

Attached to the wall

Foldable by remote control or crank handle

Clear plastic made backboard with safety pads on lower edge

Orange enameled pressure-release rings with nets

Adjustable in both horizontal and vertical leveling



Manual operation by crank handle



Motor operation





DBXXXXXX
Wall Mounted Goal

Fixed to the wall





DAXXXXXX Ceiling Suspended Goal

Hanged from ceiling

Remote control or manual chain system







■ Remarks (Structure Requirement)

- Secure fixings to the overhead roof structure are required. Additional steel works may need to be incorporated during the construction of the building.
- All loadings to be approved by structure engineer.
- All wall fixings to be drawn upon the assumption that the walls are of a load base material unless otherwise informed.

NEW




DA100S50 Glass Backboard

For S-GOAL PRO

Reinforced glass made

Safety pad on lower edge

1800 x 1050mm



DA100N71 Honeycomb Flush Backboard

Honeycomb flush board

1800 x 1050mm



DA100Q38 Plastic Backboard

For mini basketball

Clear plastic made

1200 x 800mm, 28kg



DA090M14 Plastic Backboard

For Orange Goal, Spring Goal, etc.

Clear plastic made

Safety pad on lower edge

1800 x 1050mm




DA100Q35 Plastic Backboard

For Wall Mounted and Ceiling Suspended Goal

clear plastic made

1800 x 1050mm



DA100Q37 Honeycomb Flush Backboard

For mini basketball

Honeycomb flush board

1200 x 800mm, 10kg



DA100R23 Ring & Net

Pressure-release ring with net

Orange enameled

Internal Diameter: 450mm



DA100N74 Ring & Net

Fixed ring with net

Orange enameled

Internal Diameter: 450mm

For Wooden Backboard



DA100N75 Ring & Net

Fixed ring with net

Orange enameled

Internal Diameter: 450mm

For Plastic Backboard



DA950200 Ring net

Ring net

Polyester made

Knotless



DA100P43 Ring net

Ring net

Vinylon fiber made



DA950300 Ring net

Ring net

Polyester made



DS453000 Luminous Frame (for Plastic Backboard) DS454000 Luminous Frame (for Glass Backboard)

Attached to behind of backboard

LED with diffusible acrylic panel

W33mm, total length4987mm

Control board: W230 x D260 x F80mm

Power cord 2m x 1, signal cord 50m x 1, interlocking cord 2m x 1

AC100V 60W (voltage adjusted as per request)

Interlocked with Shot clock(DS2873/DS2874) Available

*Japanese market only



DS288300 Shot Clock (for DA095200/DA066500) DS288400 Shot Clock with Game Clock (for DA095700)

Shot clock switchable 12, 14 or 24 sec.

Game clock time max 99 min. 59 sec.

1/10 sec.is indicated for last 60 sec.

Buzzer and flash at time over

Power cord 3m x 1, signal cord 50m x 2

Display: W592 x T128 x H632mm

Control board: W300 x D280 x H110mm

AC100V 18W (voltage adjusted as per request)

* Japanese market only





DS346200 Shot Clock (for DA096101/DA067503) DS346100 Shot Clock (for DA033103/DA071103) DS338000 Shot Clock (for DA086103)

Shot clock switchable 12, 24 or 30 sec.

Power cord 3m x 1, signal cord 40m x 2

Display: W470 x T57 x H425mm

Control board: W150 x D200 x H85mm

AC100V 50W (voltage adjusted as per request)

*Japanese market only





DS326000 Shot Clock Stand

Power cord 20m x 2, signal cord 40m x 2

W650 x D555 x H1028mm

Display: W570 x T57 x H540mm

Control board: W150 x D200 x H85mm

AC100V 100W (voltage adjusted as per request)

* Japanese market only





Score Control Board

Laptop



DS700000 Electric Scoreboard

International competition level

Numbers: LED 7 segment, Teams: 24 x 96 dot LED

Indicates team, time, scores, fouls of team and individuals, and set counts

Set of 2 scoreboards with 1 time control board, 1 score control board,

1 computer for team and foul input

Power cord $5m \times 1$ for control board, $20m \times 2$ for display, signal cord $50m \times 2$

W3820 x D900 x H1900mm

Display: W3820 x D170 x H800mm

AC100V 600W (voltage adjusted as per request)

* Japanese market only



DS015100 Manual Scoreboard

for Basketball and Volleyball

Back board for free writing

Set: 1-5, Score: 0-199

Water-proof score canvas H420 x W180mm

W1525 x D658 x H1805mm

DS222000 Electric Scoreboard

Set of 1 scoreboard and 1 control board

LED 7 segment

Magnet board for team name indication

Power cord 20m x 1, signal cord 50m x 1

W1100 x D670 x H1850 mm

Display: W1100 x D120 x H500mm

Control board: W280 x D300 x H100mm

AC100V 300W (voltage adjusted as per request)

* Japanese market only







DS307000 Foul Indicator Stand

Foul indicators for individual and team

With team foul indication lamp at top

Set of 2 indicators and 1 control board

LED 7-segment with 3 face-display

Power cord 20m x1,signal cord 10m x2

W800 x D800 x H1950 mm

Control board: W300 x D250 x H120mm

AC100V 200W

(voltage adjusted as per request)

* Japanese market only

DS351100 Foul Indicators on Desk

Foul indicators for individual and team

With team foul indication lamp at top

Set of 2 indicators and 1 control board

LED 7-segment with 3 face-display

Power cord 3m x 1, signal cord 2m x 2

Φ210 x H385 mm

Control board: W300 x D220 x H90mm

AC100V 120W

(voltage adjusted as per request)

* Japanese market only

DS351000 Foul Indicators on Desk

Foul indicators for individual and Team

With team foul indication lamp at top

Set of 2 indicators and 1 control board

LED 7-segment with 3 face-display

Power cord $3m \times 1$, signal cord $2m \times 2$

Ф210 x H420mm


Control board: W260 x D150 x H100mm

AC100V 100W

(voltage adjusted as per request)

* Japanese market onl





DS513000 Foul Indicator (for Individual)

6 plates in box

Including No.1-4: Black, No.5: Red, and GD Markers

Box: W278 x D170 x H572mm

Polyvinyl made





DS310001 Loud Sound Buzzer

For competitions

Sound with 3 types of tones

Power cord 6.5m x 1, signal cord 2m x 1

W390 x D274 x H206mm

AC100V 150W (voltage adjusted as per request)

* Japanese market only



For school (education)

Sound with 3 types of tones

Power cord 6 m x 1, signal cord 2m x 2 for each team

W290 x D260 x H130mm

AC100V 120W

* Japanese market only





DS460000 Alternating Possession Indicator

W420 x D190 x H120mm

AC100V 8W (voltage adjusted as per request)

* Japanese market only

DS602000 Official Table

W3024 x D711 x H850mm

DS4600 included



DK061000 Ball Cage

For 21basket balls (42 volley balls)

L875 x D650 x H670mm


L875 x D650 x H125mm when folded




DZ910100 Net Height Measurer

Aluminum made

Measurement range 914-3050mm









SENOH Corporation

250 Matsuhidai, Matsudo-shi, Chiba 270-2214, Japan TEL: 81-47-386-5807 Email: intl-1@senoh.co.jp

http://www.senoh.jp