

BWF

Badminton Product Guide

The **One** - It's **Original** Concept and Your **Only** One



INDEX

- | | |
|-----|--------------------------------|
| 2 | Introduction |
| 3 | BWF Approved Net Post & Net |
| 4 | Other Badminton Net Post & Net |
| 5,6 | Miscellaneous Goods |
-

The Best **Quality** for Your Best Performance

BWF

Badminton World Federation



Approved by BWF
for international level play



In 1908, Senoh was born in Japan as sports equipment manufacture. Since then, our equipment has been improved by going through the severe product selection criteria in Japanese market, and through the experience providing the best quality products and services, Senoh has received the approvals from several international federations such as FIVB, FIBA, and FIG, as equipment with global standard.

In 2017, our badminton net posts and net are newly approved by BWF, Badminton World Federation, as the equipment for international level play.

Senoh wishes to build the bright future through sports and will continue to contribute to further sports evolution by offering safe, superior products, and the sustainable development of technical standards.



《SENOH website》



《BWF website》

BWF



| |
|---|
| DG2300 Badminton Net Post |
| BWF approved |
| For Badminton |
| Steel tube of TH 3.5 mm and Φ 40mm |
| 85kg each |
| Movable with 2 casters |

BWF



| |
|---|
| DG2200 Badminton Net Post |
| BWF approved |
| For Badminton, Soft Volleyball, and Indica |
| Height adjustable for 1550, 1800, 1850, 2000, 2150, and 2250 mm |
| Steel tube of TH 3.5 mm and Φ 40mm |
| 86kg each |
| Movable with 2 casters |

BWF



| |
|-----------------------------|
| DG8010 Badminton Net |
| BWF approved |
| For Badminton |
| Nylon made |
| 235T/24 |



| |
|--------------------------------------|
| DG0111 Badminton Net Post |
| For Badminton |
| Steel tube of TH 3.5 mm, Φ 40mm |
| 12kg per pair |
| Under floor 150mm |
| Floor socket required |




| |
|---|
| DE4521 Badminton Net Post |
| For Badminton, Soft Volleyball, and Indica |
| Height adjustable for 1550, 1800, 1850, 2000, 2150, and 2250 mm |
| Steel tube of TH 3.5 mm and Φ 40mm |
| 15kg per pair |
| Under floor 150mm |
| Floor socket required |

How to Set the Net


1. Hook the loop at the end of net rope to the loop clutch.

2. Pass the rope through the cleat pull the rope.



How to Loose the Net

3. Remove the rope from the hook and pull forward.



| |
|-----------------------------|
| DG8110 Badminton Net |
| For Badminton |
| Nylon made |
| 235T/15 |

Miscellaneous Goods



DG3000 Service Height Measure

L485 x W460 x H1280mm

5.6kg/pair

Frame : Aluminium Panel : Acryl



KD0540

KD0541

KD0540 Floor Apparatus (for Floating Wooden Floor)

KD0541 Floor Apparatus (for Synthetic over Concrete Floor)

Indoor use

Upright socket under floor

Aluminum alloy sliding type

Under floor L150mm

Ø40 mm

Floor Apparatus needs to be installed previously under the floor before setting the net post up. Construction may take about 7-14days until concrete sets.



DL2030 Referee Chair

L1040 x W600 mm, 31kg

Chair height adjustable between 1000-1500 mm (by 100 mm)


With casters



DS0650 Manual Score Board

L907 x H2140 mm, 15kg

With casters



DG9021 Badminton Court Mat

BWF Approved

7.2m x 15.4 mm, TH3.2 mm

1.78 m x 15.4 m x 56 kg x 2 rolls

1.82 m x 15.4 m x 58 kg x 2 rolls

Jointed with fasteners



HP1000 Court Mat Transporter

L2441 x W1700 x H1410 mm

295 kg

For 3 court mat

With casters



SENOH Corporation

250 Matsuhidai, Matsudo-shi, Chiba 270-2214, Japan

TEL : 81-47-386-5807 Email : intl-1@senoh.co.jp

<http://www.senoh.jp>

Find us on 

SENOH Facebook

